

BAYLIS MEDICAL COMPANY

RADIOFREQUENCY PUNCTURE CITATIONS

Publications

Baerlocher MO, Asch MR, Myers A. Successful recanalization of a longstanding complete left subclavian vein occlusion by radiofrequency perforation with use of a radiofrequency guide wire. *J Vasc Interv Radiol*. 2006 Oct; 17(10):1703-6.

Veldtman GR, Wilson GJ, Peirone A, Hartley A, Estrada M, Norgard G, Leung RK, Visram N, Benson LN. Radiofrequency perforation and conventional needle percutaneous left heart access: Pathological features. *Catheter Cardiovasc Interv*. 2005 Aug; 65(4):556-63.

Javois AJ, Van Bergen AH, Cuneo BF, Husayni TS. Novel approach to the newborn with hypoplastic left heart syndrome and intact atrial septum. *Catheter Cardiovasc Interv*. 2005 Aug 11; [Epub ahead of print].

Sherman W, Lee P, Hartley A, Love B. Transatrial septal catheterization using a new radiofrequency probe. *Catheter Cardiovasc Interv*. 2005 Jun 24; [Epub ahead of print].

Sakata Y, Feldman T. Transcatheter creation of atrial septal perforation using a radiofrequency transseptal system: novel approach as an alternative to transseptal needle puncture. *Catheter Cardiovasc Interv*. 2005 Mar;64(3):327-32.

Hill SL, Mizelle KM, Vellucci SM, Feltes TF, Cheatham JP. Radiofrequency perforation and cutting balloon septoplasty of intact atrial septum in a newborn with hypoplastic left heart syndrome using transesophageal ICE probe guidance. *Catheter Cardiovasc Interv*. 2005 Feb;64(2):214-7.

Veldtman GR, Hartley A, Visram N, Benson LN. Radiofrequency applications in congenital heart disease. *Expert Rev Cardiovasc Ther*. 2004 Jan;2(1):117-26.

Kort HW, Balzer DT. Radiofrequency perforation in the treatment of acquired left pulmonary atresia following repair of tetralogy of Fallot. *Catheter Cardiovasc Interv*. 2003 Sep;60(1):79-81.

Pedra CA, Filho RM, Arrieta RS, Tellez R, Fontes VF. Recanalization of a discrete atretic right pulmonary artery segment with a new radiofrequency system. *Catheter Cardiovasc Interv*. 2003 Sep;60(1):82-7.

Godart F, Francart C, Breviere GM, Rey C. Pulmonary valvulotomy with the Nykanen radiofrequency guide in pulmonary atresia with intact interventricular septum. *Arch Mal Coeur Vaiss*. 2003 May;96(5):517-20. French.

Abdel-Massih T, Boudjemline Y, Bonhoeffer P. Unusual interventional management in an adult with tetralogy of Fallot. *Cardiol Young*. 2003 Apr;13(2):203-5.

Du Marchie Sarvaas GJ, Trivedi KR, Hornberger LK, Lee KJ, Kirsh JA, Benson LN. Radiofrequency-assisted atrial septoplasty for an intact atrial septum in complex congenital heart disease. *Catheter Cardiovasc Interv*. 2002 Jul;56(3):412-5.

Benson LN, Nykanen D, Collison A. Radiofrequency perforation in the treatment of congenital heart disease. *Catheter Cardiovasc Interv*. 2002 May;56(1):72-82. Review.

Pedra CA, de Sousa LN, Pedra SR, Ferreira WP, Braga SL, Esteves CA, Santana MV, Sousa JE, Fontes VF. New percutaneous techniques for perforating the pulmonary valve in pulmonary atresia with intact ventricular septum. *Arq Bras Cardiol*. 2001 Nov;77(5):471-86.

Justino H, Benson LN, Nykanen DG. Transcatheter creation of an atrial septal defect using radiofrequency perforation. *Catheter Cardiovasc Interv*. 2001 Sep;54(1):83-7.

Shimko N, Savard P, Shah K. Radio frequency perforation of cardiac tissue: modeling and experimental results. *Med Biol Eng Comput.* 2000 Sep;38(5):575-82.

Nykanen DG, Phikala J, Taylor GP, Benson LN. Radiofrequency assisted perforation of the atrial septum in a swine model: feasibility, biophysical and histological characteristics. *Circulation (Suppl 1)* 1999;100:I-804.